

# ECO Range

# Accessories Flow Limited Aerators



## Features:

- Aerates water for softer non splashing flow
- All flow limiters accurate by +/-10%

## Product Certifications:



WRAS Certificate No: 2007800  
WRAS Expiry Date: 31/07/2025

For more products, visit our website:  
<http://www.bristan.com>



## Specification

Product Code	Limited To (lpm)	Minimum Dynamic Pressure (bar)	Connection Inlet	Fitted To	What's in the Box?
ECO BAS3.5	3.5	0.2	M24 Male Thread	Tap Spout	1x 3.5lpm Blue Aerator, 1x M24 Chrome Housing, 1x Washer
ECO BAS4.5	4.5	0.2	M24 Male Thread	Tap Spout	1x 4.5lpm Pink Aerator, 1x M24 Chrome Housing, 1x Washer
ECO BAS6	6	0.2	M24 Male Thread	Tap Spout	1x 6lpm Black Aerator, 1x M24 Chrome Housing, 1x Washer
ECO FBAS3.5	3.5	0.2	M22 Female Thread	Tap Spout	1x 3.5lpm Blue Aerator, 1x M22 Female Chrome Housing, 1x Washer
ECO SMBAS3.5	3.5	0.2	M20 Male Thread	Tap Spout	1x 3.5lpm Blue Aerator, 1x M20 Chrome Housing, 1x Washer
ECO SMBAS4.5	4.5	0.2	M20 Male Thread	Tap Spout	1x 4.5lpm Pink Aerator, 1x M20 Chrome Housing, 1x Washer
ECO SPBAS 1.8	1.8	1	M24 Male Thread	Tap Spout	1x 1.8lpm Lime Green Spray Aerator, 1x M24 Chrome Housing, 1x Washer
ECO SPBAS 3.5	3.5	1	M24 Male Thread	Tap Spout	1x 3.5lpm Dark Blue Spray Aerator, 1x M24 Chrome Housing, 1x Washer

# TECHNICAL DATA SHEET



# BRISTAN

D6

# ECO Range

# Accessories Shower Outlet Flow Regulators



## Features:

- Suitable for all bristan showers
- Between shower hose and handset
- All limiters accurate +/-10%
- Operating pressure range min 1.0 bar; max 5.0 bar
- Simply screw in place

## Product Certifications:



WRAS Certificate No: 2007800  
WRAS Expiry Date: 31/07/2025

For more products, visit our website:  
<http://www.bristan.com>



## Specification

Product Code	Limited To (lpm)	Minimum Dynamic Pressure (bar)	Connection Inlet	Fitted To	What's in the Box?
ECO SHW 04	4	1	G1/2"	Shower Outlet	1x Screw-in Chrome housing with integral Grey 4lpm flow limiter
ECO SHW 05	5	1	G1/2"	Shower Outlet	1x Screw-in Chrome housing with integral Yellow 5lpm flow limiter
ECO SHW 06	6	1	G1/2"	Shower Outlet	1x Screw-in Chrome housing with integral Black 6lpm flow limiter
ECO SHW 07	7	1	G1/2"	Shower Outlet	1x Screw-in Chrome housing with integral Green 7lpm flow limiter
ECO SHW 08	8	1	G1/2"	Shower Outlet	1x Screw-in Chrome housing with integral White 8lpm flow limiter
ECO SHW 10	10	1	G1/2"	Shower Outlet	1x Screw-in Chrome housing with integral Blue 10lpm flow limiter
ECO SHW 14	14	1	G1/2"	Shower Outlet	1x Screw-in Chrome housing with integral Pink 14lpm flow limiter

# TECHNICAL DATA SHEET



# BRISTAN

D6

# ECO Range

# Accessories Flow Regulators



## Features:


- Limiters can be fitted within tap or shower inlet tails
- All flow limiters accurate by +/-10%
- Limiters suitable to work on a minimum pressure of 0.2bar

## Product Certifications:



WRAS Certificate No: 2007800  
WRAS Expiry Date: 31/07/2025

For more products, visit our website:  
<http://www.bristan.com>



## Specification

Product Code	Limited To (lpm)	Minimum Dynamic Pressure (bar)	Connection Inlet	Fitted To	What's in the Box?
ECO TAP1	1	0.2	Ø15mm	Tap Tail; Shower Inlet	1x 1lpm Pink Flow Limiter
ECO TAP2	2	0.2	Ø15mm	Tap Tail; Shower Inlet	1x 2lpm Olive Flow Limiter
ECO TAP3	3	0.2	Ø15mm	Tap Tail; Shower Inlet	1x 3lpm Brown Flow Limiter
ECO TAP4	4	0.2	Ø15mm	Tap Tail; Shower Inlet	1x 4lpm Grey Flow Limiter
ECO TAP5	5	0.2	Ø15mm	Tap Tail; Shower Inlet	1x 5lpm Yellow Flow Limiter
ECO TAP6	6	0.2	Ø15mm	Tap Tail; Shower Inlet	1x 6lpm Black Flow Limiter
ECO TAP7	7	0.2	Ø15mm	Tap Tail; Shower Inlet	1x 7lpm Green Flow Limiter

# TECHNICAL DATA SHEET



# BRISTAN

D6